

STACK ABL

PENDANTS INSTALLATION GUIDE

SA-A-PEN
AUGUST 2026



Safety Notes

This product is to be installed by a qualified electrician only.
IP20 rating for indoor use only.
Do not make connections while connected to power source.

Do not make modifications to the pre-assembled fixture.
Any alterations or deviation from the prescribed guidelines will not only damage the fixture, but will void both the warranty and all of its certifications, unless there is prior consultation with STACKABL.

Always wear clean non-marking gloves when handling the fixture.
Use caution when removing the fixture from packaging.
Ensure individual light discs do not spin when handling and installing fixture.

Electrical Notes

Power supply: 12 VDC output Class 2 constant voltage integral power supply
Controls: 120/227 V input, TRIAC, ELV, 0-10 dimming
Input voltage: 120 VAC (277 VAC upon request)
Lamping: 0.4 W per 5” light disc / 0.6 W per 8” light disc, CRI 90, L80 50,000 hours

An additional 18”/ 45cm of power cable is provided to allow height flexibility, slack, and electrical connections inside the canopy during installation
*The electrical cord must not bear any weight.


Care Instructions

Lint roll occasionally to remove general airborne debris.
Should soiling occur, spot clean with with a microfibre cloth, mild soap and lukewarm water.
Avoid aggressive rubbing of felt as this can change the surface appearance of the felt.
For replacement parts contact STACKABL directly.


Material Variations

All of our products are individually assembled and finished, meaning minor variations in finish, colour and form can occur. Slight variations in form and part location are to be expected and will be not be accepted as a fault or defect product.


Standard Canopy Components





Canopy Cover




Canopy Assembly



Wire Nut


Canopy Screws
3/8" Stainless Screw 8-32 ThreadStand-off Coupler
*For Horizontal Fixture

Metal Strain Relief




Cable Coupler


Multi-fixture Canopy Components




Canopy Cover





Canopy Assembly



Wire Nut



Ceiling Screws

Stand-off Coupler
*For Horizontal Fixture

Cable Holder






Plate Strain Relief




Ceiling Relief & Cap

Canopy Assembly


Standard Canopy




Multi Fixture Canopy




Vertical Fixture




Horizontal Fixture



Multi-fixture Power Cable Wiring



Pendant Canopy Types - Standard




Standard Canopy Concept Diagram
© Stackabl

Standard Canopy
Sample In-situ Visualizations
© Stackabl



Pendant Canopy Types - Multi-fixture



Multi-fixture Canopy Concept Diagram
© Stackabl

Multi-fixture Canopy
Sample In-situ Visualizations
© Stackabl



**STA
CK
ABL**

