



# --- 2020-Cigarette



**DESCRIPTION**

Sarah Coleman is a New York City based visual artist who is inspired by both high luxury and everyday items. Nostalgia and play drives much of her subversive approach to making art. Leveraging designer materials, playing off logos, and honoring legacy brand archives, Coleman gives repurposed objects a chance at another life. To describe her color selection, Coleman says, "They speak for themselves – they're humorous."

**CONFIGURED BY SARAH COLEMAN**

New York, USA | 06:39:03 PM | 04.12.2022

**DIMENSIONS**

Length: 48"  
Diameter: 8"

**QTY OF LIGHTS**

8" Diameter x 6

**FELT**




Graphit Gletscher Rost



Senf Wollweiß

**PLATE**



Black



Champagne

**CANOPY**



White

**CABLE**



White

**CERTIFICATION**

ETL certified (UL equivalency)  
Dry indoor use only

**POWER**

**Power supply:**

- 12 VDC output Class 2 constant voltage integral power supply
- Integral power supply in Standard Canopy can support up to 10 light discs
- Integral power supply in Multi-fixture Canopy can support up to 25 light discs
- Remote drive options upon request
- Casambi, DALI, Luton Compatible

**Controls:**

120/227 V input, TRIAC, ELV, 0-10 dimming

**Input voltage:**

120 VAC (277 VAC upon request)

**Lamping:**

0.6 W per 8" light disc, CRI 90,  
L80 50,000 hours

**Lumens delivered:**

585 lm per 8" light disc

**LIGHT DISC TEMP**

2200 K/2700 K/3000 K/3500 K

**ACOUSTICS**

Felt NRC: 0.2  
Sound absorption (sabins): 1.78

**MAINTENANCE**

Lint roll occasionally to remove general air-borne debris. Should soiling occur, spot clean with mild soap and lukewarm water. Avoid aggressive rubbing as this can continue the felting process and change the surface appearance of the felt.

**PRODUCTION LEAD TIME**

6-10 weeks

**ASSEMBLED IN TORONTO, CANADA**

*Please note that our remnants are sourced from different lots, and color variations may occur*



# --- 2021-Shotgun Shell



**DESCRIPTION**

Sarah Coleman is a New York City based visual artist who is inspired by both high luxury and everyday items. Nostalgia and play drives much of her subversive approach to making art. Leveraging designer materials, playing off logos, and honoring legacy brand archives, Coleman gives repurposed objects a chance at another life. To describe her color selection, Coleman says, "They speak for themselves – they're humorous."

**CONFIGURED BY SARAH COLEMAN**

New York, USA | 06:39:03 PM | 04.12.2022

**DIMENSIONS**

Length: 32"  
Diameter: 5"

**QTY OF LIGHTS**

5" Diameter x 3

**FELT**



Rost



Senf

**PLATE**



Champagne

**CANOPY**



White

**CABLE**



Gold

**CERTIFICATION**

ETL certified (UL equivalency)  
Dry indoor use only

**POWER**

**Power supply:**

- 12 VDC output Class 2 constant voltage integral power supply
- Integral power supply in Standard Canopy can support up to 10 light discs
- Integral power supply in Multi-fixture Canopy can support up to 25 light discs
- Remote drive options upon request
- Casambi, DALI, Luton Compatible

**Controls:**

120/227 V input, TRIAC, ELV, 0-10 dimming

**Input voltage:**

120 VAC (277 VAC upon request)

**Lamping:**

0.4 W per 5" light disc

**Lumens delivered:**

350 lm per 5" light disc

**LIGHT DISC TEMP**

2200 K/2700 K/3000 K/3500 K

**ACOUSTICS**

Felt NRC: 0.2

Sound absorption (sabins): 0.77

**MAINTENANCE**

Lint roll occasionally to remove general air-borne debris. Should soiling occur, spot clean with mild soap and lukewarm water. Avoid aggressive rubbing as this can continue the felting process and change the surface appearance of the felt.

**PRODUCTION LEAD TIME**

6-10 weeks

**ASSEMBLED IN TORONTO, CANADA**

*Please note that our remnants are sourced from different lots, and color variations may occur*



# --- 2022-Pregnancy Test



**DESCRIPTION**

Sarah Coleman is a New York City based visual artist who is inspired by both high luxury and everyday items. Nostalgia and play drives much of her subversive approach to making art. Leveraging designer materials, playing off logos, and honoring legacy brand archives, Coleman gives repurposed objects a chance at another life. To describe her color selection, Coleman says, “They speak for themselves – they’re humorous.”

**CONFIGURED BY SARAH COLEMAN**

New York, USA | 12:47:43 PM | 04.13.2022

**DIMENSIONS**

Length: 48”  
Diameter: 5”

**QTY OF LIGHTS**

5” Diameter x 6

**FELT**



Petrol Rost Wollweiß

**PLATE**



Clear

**CANOPY**



White

**CABLE**



Blue

**CERTIFICATION**

ETL certified (UL equivalency)  
Dry indoor use only

**POWER**

**Power supply:**

- 12 VDC output Class 2 constant voltage integral power supply
- Integral power supply in Standard Canopy can support up to 10 light discs
- Integral power supply in Multi-fixture Canopy can support up to 25 light discs
- Remote drive options upon request
- Casambi, DALI, Luton Compatible

**Controls:**

120/227 V input, TRIAC, ELV, 0-10 dimming

**Input voltage:**

120 VAC (277 VAC upon request)

**Lamping:**

0.4 W per 5” light disc

**Lumens delivered:**

350 lm per 5” light disc

**LIGHT DISC TEMP**

2200 K/2700 K/3000 K/3500 K

**ACOUSTICS**

Felt NRC: 0.2  
Sound absorption (sabins): 1.16

**MAINTENANCE**

Lint roll occasionally to remove general air-borne debris. Should soiling occur, spot clean with mild soap and lukewarm water. Avoid aggressive rubbing as this can continue the felting process and change the surface appearance of the felt.

**PRODUCTION LEAD TIME**

6-10 weeks

**ASSEMBLED IN TORONTO, CANADA**

*Please note that our remnants are sourced from different lots, and color variations may occur*



# Hombre-Short



**DESCRIPTION**

No stranger to the lighting world, Keeler worked for internationally acclaimed interior design studios and innovative LED luminaire producers before opening his own studio. Keeler, who helped Stackabl develop its first pendant collection, chose a neutral color selection and ombre effect to show off the light’s verticality and versatility. “Arranging them in a cluster can really define height and showcase the architecture of a space.”

**CONFIGURED BY ANTHONY FRANK KEELER**

Toronto, Canada | 04:42:23 PM | 04.11.2022


**DIMENSIONS**

Length: 18”  
Diameter: 8”

**QTY OF LIGHTS**

8” Diameter x 4

**FELT**



Asche Graphit Weiß

**PLATE**



Clear

**CANOPY**



White

**CABLE**



White

**CERTIFICATION**

ETL certified (UL equivalency)  
Dry indoor use only

**POWER**

**Power supply:**

- 12 VDC output Class 2 constant voltage integral power supply
- Integral power supply in Standard Canopy can support up to 10 light discs
- Integral power supply in Multi-fixture Canopy can support up to 25 light discs
- Remote drive options upon request
- Casambi, DALI, Luton Compatible

**Controls:**

120/227 V input, TRIAC, ELV, 0-10 dimming

**Input voltage:**

120 VAC (277 VAC upon request)

**Lamping:**

0.6 W per 8” light disc, CRI 90, L80 50,000 hours

**Lumens delivered:**

585 lm per 8” light disc

**LIGHT DISC TEMP**

2200 K/2700 K/3000 K/3500 K

**ACOUSTICS**

Felt NRC: 0.2  
Sound Absorption (sabins): 0.67

**MAINTENANCE**

Lint roll occasionally to remove general air-borne debris. Should soiling occur, spot clean with mild soap and lukewarm water. Avoid aggressive rubbing as this can continue the felting process and change the surface appearance of the felt.

**PRODUCTION LEAD TIME**

6-10 weeks

**ASSEMBLED IN TORONTO, CANADA**

*Please note that our remnants are sourced from different lots, and color variations may occur*



# --- Hombre-Long



**DESCRIPTION**

No stranger to the lighting world, Keeler worked for internationally acclaimed interior design studios and innovative LED luminaire producers before opening his own studio. Keeler, who helped Stackabl develop its first pendant collection, chose a neutral color selection and ombre effect to show off the light’s verticality and versatility. “Arranging them in a cluster can really define height and showcase the architecture of a space.”

**CONFIGURED BY ANTHONY FRANK KEELER**

Toronto, Canada | 01:20:21 PM | 04.11.2022


**DIMENSIONS**

Length: 48”  
Diameter: 8”

**QTY OF LIGHTS**

8” Diameter x 6

**FELT**



Asche

Graphit

Weiß

**PLATE**



Clear

**CANOPY**



White

**CABLE**



White

**CERTIFICATION**

ETL certified (UL equivalency)  
Dry indoor use only

**POWER**

**Power supply:**

- 12 VDC output Class 2 constant voltage integral power supply
- Integral power supply in Standard Canopy can support up to 10 light discs
- Integral power supply in Multi-fixture Canopy can support up to 25 light discs
- Remote drive options upon request
- Casambi, DALI, Lutron Compatible

**Controls:**

120/227 V input, TRIAC, ELV, 0-10 dimming

**Input voltage:**

120 VAC (277 VAC upon request)

**Lamping:**

0.6 W per 8” light disc, CRI 90,  
L80 50,000 hours

**Lumens delivered:**

585 lm per 8” light disc

**LIGHT DISC TEMP**

2200 K/2700 K/3000 K/3500 K

**ACOUSTICS**

Felt NRC: 0.2

Sound Absorption (sabins): 1.78

**MAINTENANCE**

Lint roll occasionally to remove general air-borne debris. Should soiling occur, spot clean with mild soap and lukewarm water. Avoid aggressive rubbing as this can continue the felting process and change the surface appearance of the felt.

**PRODUCTION LEAD TIME**

6-10 weeks

**ASSEMBLED IN TORONTO, CANADA**

*Please note that our remnants are sourced from different lots, and color variations may occur*

# ↓ Hugo



## DESCRIPTION

Wisse Trooster is a passionately curious designer from The Netherlands and works with a variety of materials and in multiple disciplines. "The lights match as a family," Trooster says, "in fact, the names are from Donald Duck's triplet nephews. Fun, they are interesting on their own but come to life when placed together. The close-to-black and white pattern seamlessly integrates the light discs and by keeping the lamp in one color, the lights became well-balanced."

## CONFIGURED BY WISSE TROOSER

Amsterdam, NL | 03:20:12 PM | 04.10.2022

## DIMENSIONS

Length: 18"  
Diameter: 8"

## QTY OF LIGHTS

5" Diameter x 4  
8" Diameter x 2

## FELT



Ozean



Rost



Wei

## PLATE



Clear

## CANOPY



White

## CABLE



White

## CERTIFICATION

ETL certified (UL equivalency)  
Dry indoor use only

## POWER

### Power supply:

- 12 VDC output Class 2 constant voltage integral power supply
- Integral power supply in Standard Canopy can support up to 10 light discs
- Integral power supply in Multi-fixture Canopy can support up to 25 light discs
- Remote drive options upon request
- Casambi, DALI, Luton Compatible

### Controls:

120/227 V input, TRIAC, ELV, 0-10 dimming

### Input voltage:

120 VAC (277 VAC upon request)

### Lamping:

0.4 W per 5" light disc/0.6 W per 8" light disc, CRI 90, L80 50,000 hours

### Lumens delivered:

350 lm per 5" light disc/585 lm per 8" light disc

### LIGHT DISC TEMP

2200 K/2700 K/3000 K/3500 K

## ACOUSTICS

Felt NRC: 0.2

Sound absorption (sabins): 0.51

## MAINTENANCE

Lint roll occasionally to remove general air-borne debris. Should soiling occur, spot clean with mild soap and lukewarm water. Avoid aggressive rubbing as this can continue the felting process and change the surface appearance of the felt.

## PRODUCTION LEAD TIME

6-10 weeks

## ASSEMBLED IN TORONTO, CANADA

*Please note that our remnants are sourced from different lots, and color variations may occur*



# LUIS



**DESCRIPTION**

Wisse Trooster is a passionately curious designer from The Netherlands and works with a variety of materials and in multiple disciplines. “The lights match as a family,” Trooster says, “in fact, the names are from Donald Duck’s triplet nephews. Fun, they are interesting on their own but come to life when placed together. The close-to-black and white pattern seamlessly integrates the light discs and by keeping the lamp in one color, the lights became well-balanced.”

**CONFIGURED BY WISSE TROOSER**

Amsterdam, NL | 03:19:52 PM | 04.10.2022

**DIMENSIONS**

Length: 22”  
Diameter: 8”

**QTY OF LIGHTS**

5” Diameter x 3  
8” Diameter x 4

**FELT**



Ozean      Senf      Weiß

**PLATE**



Clear

**CANOPY**



White

**CABLE**



White

**CERTIFICATION**

ETL certified (UL equivalency)  
Dry indoor use only

**POWER**

**Power supply:**

- 12 VDC output Class 2 constant voltage integral power supply
- Integral power supply in Standard Canopy can support up to 10 light discs
- Integral power supply in Multi-fixture Canopy can support up to 25 light discs
- Remote drive options upon request
- Casambi, DALI, Luton Compatible

**Controls:**

120/227 V input, TRIAC, ELV, 0-10 dimming

**Input voltage:**

120 VAC (277 VAC upon request)

**Lamping:**

0.4 W per 5” light disc/0.6 W per 8” light disc, CRI 90, L80 50,000 hours

**Lumens delivered:**

350 lm per 5” light disc/585 lm per 8” light disc

**LIGHT DISC TEMP**

2200 K/2700 K/3000 K/3500 K

**ACOUSTICS**

Felt NRC: 0.2  
Sound absorption (sabins): 0.72

**MAINTENANCE**

Lint roll occasionally to remove general air-borne debris. Should soiling occur, spot clean with mild soap and lukewarm water. Avoid aggressive rubbing as this can continue the felting process and change the surface appearance of the felt.

**PRODUCTION LEAD TIME**

6-10 weeks

**ASSEMBLED IN TORONTO, CANADA**

*Please note that our remnants are sourced from different lots, and color variations may occur*



# # Paco



**DESCRIPTION**

Wisse Trooster is a passionately curious designer from The Netherlands and works with a variety of materials and in multiple disciplines. “The lights match as a family,” Trooster says, “in fact, the names are from Donald Duck’s triplet nephews. Fun, they are interesting on their own but come to life when placed together. The close-to-black and white pattern seamlessly integrates the light discs and by keeping the lamp in one color, the lights became well-balanced.”

**CONFIGURED BY WISSE TROOSER**

Amsterdam, NL | 03:19:35 PM | 04.10.2022

**DIMENSIONS**

Length: 13”  
Diameter: 8”

**QTY OF LIGHTS**

5” Diameter x 2  
8” Diameter x 2

**FELT**



Petrol Ozean Weiß

**PLATE**



Clear

**CANOPY**



White

**CABLE**



White

**CERTIFICATION**

ETL certified (UL equivalency)  
Dry indoor use only

**POWER**

**Power supply:**

- 12 VDC output Class 2 constant voltage integral power supply
- Integral power supply in Standard Canopy can support up to 10 light discs
- Integral power supply in Multi-fixture Canopy can support up to 25 light discs
- Remote drive options upon request
- Casambi, DALI, Luton Compatible

**Controls:**

120/227 V input, TRIAC, ELV, 0-10 dimming

**Input voltage:**

120 VAC (277 VAC upon request)

**Lamping:**

0.4 W per 5” light disc/0.6 W per 8” light disc, CRI 90, L80 50,000 hours

**Lumens delivered:**

350 lm per 5” light disc/585 lm per 8” light disc

**LIGHT DISC TEMP**

2200 K/2700 K/3000 K/3500 K

**ACOUSTICS**

Felt NRC: 0.2  
Sound absorption (sabins): 0.4

**MAINTENANCE**

Lint roll occasionally to remove general air-borne debris. Should soiling occur, spot clean with mild soap and lukewarm water. Avoid aggressive rubbing as this can continue the felting process and change the surface appearance of the felt.

**PRODUCTION LEAD TIME**

6-10 weeks

**ASSEMBLED IN TORONTO, CANADA**

*Please note that our remnants are sourced from different lots, and color variations may occur*